BREEDER MANAGEMENT BIOSECURITY





LITTER MANAGEMENT



Litter/bedding storage in an adapted biosecure area to maintain the pathogen-free status (inside the house).



No accumulated litter at the end of the cycle.


SHED TO SHED ACCESS



If corridor between the two houses provide three-zone entry.



If no corridor between the houses, provide one shower unit in each house.



VISITORS



Restrict visitors and adapt quarantine period.



Provide shower facilities.



Provide change of clothes and boots.

VEHICLES



Vehicles must be cleaned prior to entering the farm facility.




DO NOT allow unauthorised vehicles on the farm.




Make sure all feed and gas deliveries stay outside of the fence.



Bags are to be worn on shoes from cars into the shower facilities.



birds in a biosecure freezer.



3 Fumigation room

4 Egg storage room

5 Vehicle disinfection unit

6 Staff room

-- Go forward principle

EXTERIOR



Do not treat the concrete or area inside the fence as clean.

INTERIOR



Easy to clean and disinfect concrete floor.



Easy to clean and disinfect equipment. The resting period ideally lasts for at least 10 days.



Ensure good quality water is available.



Keep other livestock away from facility.

PEST CONTROL



Establish regular baiting for rodents and insects, prevent access of wild birds according to local regulations.



Visitors, feed/litter delivery, cleaning and disinfecting, pest control.

KEEP A RECORD

